

Anti-Plakophilin 2/PKP2 Antibody Picoband®

Catalog Number: PA2278

About PKP2

Plakophilin-2 is a protein that in humans is encoded by the PKP2 gene. This gene encodes a member of the arm-repeat (armadillo) and plakophilin gene families. It is mapped to 12p11.21. PKP2 is a constituent of the desmosomal plaque in simple epithelia, some stratified epithelia, and some nonepithelial cells. PKP2 is also enriched in the karyoplasm of cells of various types, including those lacking desmosomes. Plakophilin proteins participate in linking cadherins to intermediate filaments in the cytoskeleton and this gene product may regulate the signaling activity of beta-catenin. PKP2 has been shown to interact with Desmoplakin, Plakoglobin and Desmoglein 1.

Overview

Product Name	Anti-Plakophilin 2/PKP2 Antibody Picoband®
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Plakophilin 2/PKP2 Antibody catalog # PA2278. Tested in WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q99959

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human Plakophilin 2, identical to the related mouse sequence, and different from the related rat sequence by one amino acid.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized



BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse



Anti-Plakophilin 2/PKP2 Antibody Picoband® (PA2278) Images



Anti-Plakophilin 2 antibody, PA2278, All Western blotting

All lanes: Anti-PKP2(PA2278) at 0.5ug/ml

Lane 1: Rat Cardiac Muscle Tissue Lysate at 40ug Lane 2: Human Placenta Tissue Lysate at 40ug

Lane 3: Rat Brain Tissue Lysate at 40ug

Lane 4: Rat Intestine Tissue Lysate at 40ug

Lane 5: HELA Whole Cell Lysate at 40ug

Lane 6: JURKAT Whole Cell Lysate at 40ug

Lane 7: 293T Whole Cell Lysate at 40ug

Lane 8: MCF-7 Whole Cell Lysate at 40ug

Lane 9: U87 Whole Cell Lysate at 40ug

Predicted bind size: 97KD Observed bind size: 97KD

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Plakophilin 2/PKP2 Antibody