

Anti-Bub1 Antibody Picoband®

Catalog Number: PB9135

About BUB1

BUB1, also known as mitotic checkpoint serine/threonine kinase, is an enzyme that in humans is encoded by the BUB1 gene. It is mapped to 2q13. BUB1 is first identified in genetic screens of *Saccharomyces cerevisiae*. The protein is bound to kinetochores and plays a key role in the establishment of the mitotic spindle checkpoint and chromosome congression. The mitotic checkpoint kinase is evolutionary conserved in organisms as diverse as *Saccharomyces cerevisiae* and humans. Loss-of-function mutations or absence of BUB1 has been reported to result in aneuploidy, chromosomal instability (CIN) and premature senescence. The protein kinase BUB1 possesses versatile and distinct functions during the cell cycle, mainly in the SAC and chromosome alignment during metaphase.

Overview


Product Name	Anti-Bub1 Antibody Picoband®
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Bub1 Antibody Picoband® catalog # PB9135. Tested in WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ , and 0.05 mg NaN ₃ . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O43683

Technical Details

Immunogen	E.coli-derived human Bub1 recombinant protein (Position: V731-K1085). Human Bub1 shares 81% amino acid (aa) sequence identity with mouse Bub1.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western

	blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human, Mouse, Rat

Anti-Bub1 Antibody Picoband® (PB9135) Images



Western blot analysis of BUB1 using anti-BUB1 antibody (PB9135). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human K562 whole cell lysates, Lane 2: human HEK293 whole cell lysates, Lane 3: human Hela whole cell lysates, Lane 4: human Jurkat whole cell lysates, Lane 5: human HL-60 whole cell lysates, Lane 6: rat testis tissue lysates, Lane 7: rat heart tissue lysates, Lane 8: rat PC-12 whole cell lysates, Lane 9: mouse testis tissue lysates, Lane 10: mouse thymus tissue lysates, Lane 11: mouse heart tissue lysates, Lane 12: mouse NIH/3T3 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-BUB1 antigen affinity purified polyclonal antibody (Catalog # PB9135) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for BUB1 at approximately 130 kDa. The expected band size for BUB1 is at 130 kDa.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Bub1 Antibody

For Research Use Only. Not for use in diagnostic procedures.