

## Anti-HNF1/HNF1A Antibody Picoband®

Catalog Number: PB9214

### About HNF1A

HNF1 homeobox A (hepatocyte nuclear factor 1 homeobox A), also known as HNF1A or TCF1, is a human gene. It is mapped to chromosome 12q24.3. The protein encoded by this gene is a transcription factor that is highly expressed in the liver and is involved in the regulation of the expression of several liver-specific genes. HNF1A can function as a dimer. What's more, deletion of the HNF1A activation domains or interruption of the HNF1-binding sites in the LCT promoter resulted in complete loss of transcriptional activity.

### Overview


Product Name	Anti-HNF1/HNF1A Antibody Picoband®
Reactive Species	Human
Description	Boster Bio Anti-HNF1/HNF1A Antibody Picoband® catalog # PB9214. Tested in WB applications. This antibody reacts with Human. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9 mg NaCl, 0.2 mg Na <sub>2</sub> HPO <sub>4</sub> , and 0.05 mg NaN <sub>3</sub> . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P20823

### Technical Details

Immunogen	E.coli-derived human HNF1 recombinant protein (Position: A431-Q631). Human HNF1 shares 93% and 92% amino acid (aa) sequences identity with mouse and rat HNF1, respectively.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins

Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human

## Anti-HNF1/HNF1A Antibody Picoband® (PB9214) Images



Western blot analysis of HNF1/HNF1A using anti-HNF1/HNF1A antibody (PB9214). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human Hela whole cell lysates, Lane 2: human HepG2 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-HNF1/HNF1A antigen affinity purified polyclonal antibody (Catalog # PB9214) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for HNF1/HNF1A at approximately 80 kDa. The expected band size for HNF1/HNF1A is at 67 kDa.

### Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



### Anti-HNF1/HNF1A Antibody

For Research Use Only. Not for use in diagnostic procedures.