

Anti-TRPV5 Antibody Picoband®

Catalog Number: PB9518

About TRPV5

Transient receptor potential cation channel subfamily V member 5 is a protein that in humans is encoded by the TRPV5 gene. This gene is a member of the transient receptor family and the TrpV subfamily. The calcium-selective channel encoded by this gene has 6 transmembrane-spanning domains, multiple potential phosphorylation sites, an N-linked glycosylation site, and 5 ANK repeats. And this protein forms homotetramers or heterotetramers and is activated by a low internal calcium level. In addition, TRPV5 is mainly expressed in kidney epithelial cells, where it plays an important role in the reabsorption of Ca²⁺. Genetic deletion of TRPV5 in mice leads to Ca²⁺ loss in the urine, and consequential hyperparathyroidism, and bone loss.

Overview


Product Name	Anti-TRPV5 Antibody Picoband®
Reactive Species	Human, Rat
Description	Boster Bio Anti-TRPV5 Antibody Picoband® catalog # PB9518. Tested in WB applications. This antibody reacts with Human, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ , and 0.05 mg NaN ₃ . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q9NQA5

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human TRPV5, different from the related mouse and rat sequences by one amino acid.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western

	blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human, Rat

Anti-TRPV5 Antibody Picoband® (PB9518) Images



Western blot analysis of TRPV5 using anti-TRPV5 antibody (PB9518). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. Lane 1: Rat Pancreas Tissue Lysate at 50ug, Lane 2: Rat Lung Tissue Lysate at 50ug, Lane 3: Rat Intestine Tissue Lysate at 50ug, Lane 4: SW620 Whole Cell Lysate at 40ug, Lane 5: COLO320 Whole Cell Lysate at 40ug, Lane 6: 293T Whole Cell Lysate at 40ug. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-TRPV5 antigen affinity purified polyclonal antibody (Catalog # PB9518) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for TRPV5 at approximately 83 kDa. The expected band size for TRPV5 is at 83 kDa.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-TRPV5 Antibody

For Research Use Only. Not for use in diagnostic procedures.