

Anti-GRP78 BiP/HSPA5 Antibody Picoband® APC Conjugated

Catalog Number: PB9640-APC

About HSPA5

HSPA5 (heat shock 70kDa protein 5), also known as glucose-regulated protein, 78kD (GRP78) or BiP, is a member of the heat-shock protein-70 (HSP70) family and is involved in the folding and assembly of proteins in the endoplasmic reticulum. BiP is also an essential component of the translocation machinery, as well as playing a role in retrograde transport across the ER membrane of aberrant proteins destined for degradation by the proteasome. The HSPA5 gene is mapped on 9q33.3. Shen et al. (2002) concluded that HSPA5 retains ATF6 in the ER by inhibiting its Golgi localization signals and that dissociation of HSPA5 during ER stress allows ATF6 to be transported to the Golgi. The findings of Shen et al. (2002) demonstrated that HSPA5 is a key element in sensing the folding capacity within the ER.

Overview

| | |
|----------------------|--|
| Product Name | Anti-GRP78 BiP/HSPA5 Antibody Picoband® APC Conjugated |
| Reactive Species | Human, Mouse, Rat |
| Application | Flow Cytometry |
| Clonality | Polyclonal |
| Formulation | Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na ₂ HPO ₄ , 0.02% NaN ₃ . |
| Storage Instructions | At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light. |
| Host | Rabbit |
| Uniprot ID | P11021 |

Technical Details

| | |
|------------------|---|
| Immunogen | A synthetic peptide corresponding to a sequence at the C-terminus of human GRP78 BiP, identical to the related mouse and rat sequences. |
| Cross Reactivity | No cross-reactivity with other proteins |
| Isotype | Rabbit IgG |
| Form | Liquid |
| Concentration | 0.5 mg/mL |
| Purification | Immunogen affinity purified. |
| Conjugate | APC Excitation Wavelength: 633-647 nm Emission Wavelength: 660 nm |

Suggested Dilutions

Flow Cytometry, Optimal dilutions should be determined by end users.

8 Publications Citing This Product

1. PubMed ID: 31500865, Chi L, Jiao D, Nan G, Yuan H, Shen J, Gao Y. miR-9-5p attenuates ischemic stroke through targeting ERMP1-mediated endoplasmic reticulum stress. *Acta Histochem.* 2019 Nov; 121(8):151438. doi:10.1016/j.acthis.2019.08.005. Epub 2019 Sep 7. PMID:31500865.
2. PubMed ID: 33819629, Huang Y, Zhao C, Kong Y, Tan P, Liu S, Liu Y, Zeng F, Yuan Y, Zhao B, Wang J. Elucidation of the mechanism of NEFA-induced PERK-eIF2alpha signaling pathway regulation of lipid metabolism in bovine hepatocytes. *J Steroid Biochem Mol Biol.* 2021 Apr 2:105893. doi:10.1016/j.jsbmb.2021.105893. Epub ahead of print. PMID:33819629.
3. PubMed ID: -, Pei-pei Fang, Chen-wei Pan, Wei Lin, Jie Li, Shan-shan Huang, Guang-yao Zhou, Wen-jun Du, Qiang Li, "ASK1 Enhances Angiotensin II-Induced Liver Fibrosis In Vitro by Mediating Endoplasmic Reticulum Stress-Dependent Exosomes", *Mediators of Inflammation*, vol. 2020, Art

Visit bosterbio.com/anti-grp78-bip-picoband-trade-antibody-pb9640-boster.html to see all 8 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-GRP78 BiP/HSPA5 Antibody - APC

For Research Use Only. Not for use in diagnostic procedures.