

Anti-STXBP2 Antibody Picoband® Biotin Conjugated

Catalog Number: PB9820-Biotin

About STXBP2

Syntaxin-binding protein 2, also known as UNC18B, is a protein that in humans is encoded by the STXBP2 gene. The STXBP2 gene is mapped to human chromosome 19p13.3-p13.2 and to the proximal arm of mouse chromosome 8. And this gene encodes a member of the STXBP/unc-18/SEC1 family. The encoded protein is involved in intracellular trafficking, control of SNARE (soluble NSF attachment protein receptor) complex assembly, and the release of cytotoxic granules by natural killer cells. Additionally, UNC18B is expressed predominantly as a 2.4-kb message in placenta, lung, liver, kidney, and pancreas, as well as in peripheral blood lymphocytes. Mutations in this gene are associated with familial hemophagocytic lymphohistiocytosis. Alternatively spliced transcript variants encoding different isoforms have been noted for this gene.

Overview

Product Name	Anti-STXBP2 Antibody Picoband® Biotin Conjugated
Reactive Species	Human, Mouse, Rat
Clonality	Polyclonal
Formulation	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na ₂ HPO ₄ , 0.02% NaN ₃ .
Storage Instructions	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing.
Host	Rabbit
Uniprot ID	Q15833

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human STXBP2, different from the related mouse and rat sequences by one amino acid.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5 mg/mL
Purification	Immunogen affinity purified.
Conjugate	Biotin
Suggested Dilutions	The intended application should be selected according to the customer's experimental requirements.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-STXBP2 Antibody - Biotin

For Research Use Only. Not for use in diagnostic procedures.