

Mouse recombinant IFN alpha 1a (Interferon alpha 1a) protein, AF

Catalog Number: PROTP01572

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Overview

Product Name	Mouse recombinant IFN alpha 1a (Interferon alpha 1a) protein, AF
Description	Interferon Alpha 1a (IFN alpha 1a) is a leukocyte interferon, which is a variant of Interferon-alpha. IFN-alpha 1a is a 18.4 kDa protein containing 166 amino acid residues. It could bind the interferon receptors that activates the signal transduction of immune responses through the Jak/STAT pathway in leukocytes and lymphoblastoid cells.
Size	5ug,20ug,100ug
Tag	His Tag (N-term)
Form	Lyophilized
Source	Escherichia coli
Formulation	The protein was lyophilized from a 0.2 um filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.

Storage

Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

Purity

>98% as determined by SDS-PAGE.

Molecular weight

The protein has a calculated MW of 19.93 kDa. The protein migrates as 17-25 kDa under reducing condition (SDS-PAGE analysis).

Activity

Measure by its ability to protect L929 cells infected with encephalomyocarditis (EMC) virus. The ED₅₀ for this effect is <10 pg/mL. The specific activity of recombinant mouse IFN alpha 1a is > 4 x 10⁷ IU/mg.

Endotoxin

<0.1 EU per 1 ug of the protein by the LAL method.

Amino Acid Sequence

CDLPQTHNLRNKRALTLVQMRRLSPLSCLKDRKDFGFPQEKVDAQQIKKAQAIPVLSLTQQILNIFTSKDSSAAWNTTLLDSFCNDLHQQNLNDLQGC
LMQQVGVQEFPLTQEDALLAVRKYFHRITVYLREKKHSPCAWEVVRAEVWRALSSSANVLGRLREEK with polyhistidine tag at the N-terminus.

Reconstitution

Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 100 ug/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

Usage

Boster's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Mouse recombinant IFN alpha 1a (Interferon alpha 1a) protein, AF

For Research Use Only. Not for use in diagnostic procedures.