

## Anti-EAAT2/GLT-1/SLC1A2 Antibody Picoband® Fluoro594 Conjugated

Catalog Number: RP1065-Fluoro594

### About SLC1A2

SLC1A2 is also known as EAAT2 or GLT-1. This gene encodes a member of a family of solute transporter proteins. The membrane-bound protein is the principal transporter that clears the excitatory neurotransmitter glutamate from the extracellular space at synapses in the central nervous system. Glutamate clearance is necessary for proper synaptic activation and to prevent neuronal damage from excessive activation of glutamate receptors. Mutations in and decreased expression of this protein are associated with amyotrophic lateral sclerosis. Alternatively spliced transcript variants of this gene have been identified.

### Overview

Product Name	Anti-EAAT2/GLT-1/SLC1A2 Antibody Picoband® Fluoro594 Conjugated
Reactive Species	Mouse, Rat
Application	Recommended applications are based on the parent unconjugated antibody (IF, IHC, WB). Customers may select suitable applications according to their experimental needs.
Clonality	Polyclonal
Formulation	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na <sub>2</sub> HPO <sub>4</sub> , 0.02% NaN <sub>3</sub> .
Storage Instructions	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light.
Host	Rabbit
Uniprot ID	P43004

### Technical Details

Immunogen	E.coli-derived human EAAT2 recombinant protein (Position: T461-K574). Human EAAT2 shares 96% amino acid (aa) sequence identity with both mouse and rat EAAT2.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5 mg/mL
Purification	Immunogen affinity purified.
Conjugate	Fluoro594 Excitation Wavelength: 593 nm Emission Wavelength: 618 nm
Suggested Dilutions	Optimal dilutions should be determined by end users.

## 2 Publications Citing This Product

1. PubMed ID: 33484756, Song T, Chen W, Chen X, Zhang H, Zou Y, Wu H, Lin F, Ren L, Kang Y, Lei H. Repeated fluoxetine treatment induces transient and long-term astrocytic plasticity in the medial prefrontal cortex of normal adult rats. *Prog Neuropsychopharmacol Biol Psychiatry*. 2021 Jan 20
2. PubMed ID: 25371754, Ding Y, Zhang K, Liu S, Zhang Q, Ma C, Bruce Ic, Zhang X. *Exp Ther Med*. 2014 Dec;8(6):1909-1913. Epub 2014 Oct 15. Tumor Necrosis Factor-?? Promotes The Expression Of Excitatory Amino-Acid Transporter 2 In Astrocytes: Optimal Concentration And Inc...

Visit [bosterbio.com/anti-eaat2-antibody-rp1065-boster.html](http://bosterbio.com/anti-eaat2-antibody-rp1065-boster.html) to see all 2 publications.

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-EAAT2/GLT-1/SLC1A2 Antibody - Fluoro594

For Research Use Only. Not for use in diagnostic procedures.